EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	270	((vary$4 variable) near5 (current power)) and ((vary $4 variable) near10 color near5 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 18:35
L26	71	25 and (((discharge metal near3 halide (high near2 (intensi $4 pressure))) near5 (lmap bulb tub light$4 vessel)) HID HPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 18:40
L27	39	26 and ((alternat$4 AC puls$5) near5 current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 18:42
L30	317	((vary$4 varia$4 alter$3) near5 (current power)) and ((vary$4 varia $4 alter$3) near5 color near3 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 19:03
L31	17	30 and (((vary$4 varia$4 alter$3) near5 (current power)) same ((vary$4 varia$4 alter$3) near5 duty near3 cycle))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 19:04
L32	84	30 and (((discharge metal near3 halide (high near2 (intensi $4 pressure))) near5 (lmap bulb tub light$4 vessel)) HID HPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/14 20:02

| L36 | 15 | 34 not 27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 20:05 |

2/14/2008 8:07:41 PM
C:\ Documents and Settings\ ealemu\ My Documents\ EAST\ workspaces\ 10563922.wsp